ALLOWANCE EQUIPAGE LIST (AEL)

		OIPAGE LIST (AEI	- /								
EQUIPAGE NOMENCLATURE/CHARACTERISTICS		MANUAL			IDENT	FICATIO	N NO.	DA.	TE		PAGE
	TECHNICAL DOCUMENT	TECHNICAL									
SCBA, DC-FF SHIPBOARD FOR LSD CLASS	NUMBER										
		PLAN			1						
					2-33	0024	113	06	-24-0	3 l	1
CHARACTERISTICS			& C						LOWAI		TARLE
THIS AEL IS TO REPLACE THE OBA AND OBA CANIST	TER.		S N RP N S	400	\vdash	<u></u>	BUA	וא עם	LVXX	ACE.	IADLE
REQUIREMENTS CURRENTLY FOUND ON DAMAGE CONTRO	DL AEL		G H A ES O A		CO.	a laa				.	
2-880044200 SERIES AND BREATHING APRS-OXY A	44 AEL		E O M RP N S G U A EP O T G C N O C S C C N O C S	un \$	COL	2 3		5	COL. CO	-	COL.
2-930094060 THRU 2-930094064.				CVI		2 3	4	5	6 7	+	8
THE SELF-CONTAINED BREATHING APPARATUS (SCBA)	USES .	1					1				
HIGH PRESSURE AIR CYLINDER WITH A REGULATOR	RATED	`TO						j			
SUPPLY BREATHING AIR TO THE USER DURING DAM					1]			
AND FIRE FIGHTING FUNCTIONS. IT SHALL HAVE					1]			
RATED SERVICE TIME OF THIRTY MINUTES AND FO											
MINUTES (DEPENDING ON THE SIZE OF THE INSTA					1	- 1			ļ		
CYLINDERS).	A	* 1 \			1					1	
THE SCBA AND ITS ASSOCIATED CHARGING EQUIPMEN	NT (WHI	CH .			1						
INCLUDES DIESEL AND/OR ELECTRIC AIR COMPRES		- 1 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		199	1						
CONSISTS OF HIGH PRESSURE (4500 PSIG) AIR C		O TN		GILTE.	4						
A BACKPACK TYPE HARNESS. AIR PRESSURE REGUL	ATORS	FACE		65.44		İ				- 1	
MASK AND ASSOCIATED AIR HOSEE.	LATORS,	IAGL		GA H				1 [
FOR REPAIR PARTS SUPPORT SEE THE FOLLOWING APLS:						- 1			ļ	i	
	AIR BSTR PUMP ASSY AIR BSTR PUMP ASSY BREATHING AIR TESTER 990580009 SCBA (30 MIN FIBERGLASS) 990580003 SCBA (45 MIN FIBERGLASS) 990580003 SCBA (30 MIN CARBON) 99A010025 SCBA (45 MIN CARBON) 99A010026 COMPRESSOR, BREATHING AIR 06A990004 FILTER ASSEMBLY, HP 489980675 ALL CHANGES TO THIS AEL MUST BE ENDORSED BY THE TYCOM AND APPROVED BY NAVSEA DAMAGE CONTROL, IN WRITING. NOTE 1: THE SELF-CONTAINED BREATHING APPARATUS (SCBA) CAN BE RECONFIGURED TO EITHER A 30 MMINUTE OR 45 MINUTE RATING BY EXCHANGING THE CYLINDER INSTALLED IN THE SCBA BACKPACK, THE SCBA CONFIGURATION CHANGE WILL BE CONTROLLED BY THE DCA OR CHENG, HOWEVER, THE NUMBER OF 30 MINUTE OR 45 MINUTE CYLINDERS ONBOARD CANNOT EXCEED THE QUANTITIES DEFINED WITHIN THIS AEL. THE NUMBER AND SIZE OF CYLINDERS IS DETERMINED BY ADDING CYLINDERS WITHIN AN SCBA AND SPARE CYLINDER QUANTITIES LISTED ON THIS AEL. NOTE 2: WHEN NEEDED TO ORDER NEW REPLACEMENT CYLINDERS, BOTH FIBER GLASS CYLINDER AND CARBON FIBER										
BREATHING AIR TESTER 990580									-	-	
SCBA (30 MIN FIBERGLASS) 990580		***									
SCBA (45 MIN FIBERGLASS) 990580		3							- 1	1	
SCBA (30 MIN CARBON) 99A010		- Address							1	ł	
SCBA (45 MIN CARBON) 99A010											
COMPRESSOR, BREATHING AIR 06A990		999						.	}	-	
FILTER ASSEMBLY.HP 489980					1						
ALL CHANGES TO THIS AEL MUST BE ENDORSED BY T		N.		100	1				İ	1	
AND APPROVED BY NAVSEA DAMAGE CONTROL, IN W	10E 116	ווע		161,044	1					-	
NOTE 1: THE SELF-CONTAINED BREATHING APPARATU	AKTITING				1						
CAN BE RECONFIGURED TO EITHER A 30 MM	JO (OUD)	1)			4	İ					
45 MINUTE RATING BY EXCHANGING THE CY	MINUIE I	JK		40 mail							
INSTALLED IN THE SCBA BACKPACK. THE S		•	o de si Q	100					l	İ	
CONFICURATION CHANCE WILL BE CONTROLL	SUDA DV .	rue	a ad a s	erim il							
CONFIGURATION CHANGE WILL BE CONTROLL	LED BY	1 T E	e die 6 9			- 1					
DCA OR CHENG, HOWEVER, THE NUMBER OF	20 MIN	JIE S ZUE]			
OR 45 MINUTE CYLINDERS ONBOARD CANNOT	I EXCEE	J IHE									
QUANTITIES DEFINED WITHIN THIS AEL. T		SEK									
AND SIZE OF CYLINDERS IS DETERMINED B		¥G					1				
CYLINDERS WITHIN AN SCBA AND SPARE CY	LLINDER										
QUANTITIES LISTED ON THIS AEL.	AVI										
NOTE 2: WHEN NEEDED TO ORDER NEW REPLACEMENT	CYLIND	:K5,]						
BOTH FIBER GLASS CYLINDER AND CARBON REFERENCE NO/DESCRIPTIVE DATA ITEM NAME ITEM NAME	FIREK										
	···-	STOCK NO.	S M RS N C O A EU O U	u/i Q	1	2 3	4	5	6 7	Ţ	8
ALLOWANCE EQUI			O O O O O O O O O O O O O O O O O O O	Y							
ALLOWANCE EQUI	DAGE	IST (AEL)	A LOPET CCNVSSQ LETRO					ـ ـ ا		.	
SHIP TYPE & HULL NO.	. AGE L	.O. (AEL)	O TES OF COLUMN TO TES	ui q	2-3	<u> 3002</u>	4113	06	-24-0	3	1
Griff LTFE & FIGLE NO. 1				Mile						\perp	

ALLOWANCE EQUIPAGE LIST (AEL)

EQUIPAGE NOMENCLATURE/CHARACTERISTICS			MANUAL			IDENTIFIC	CATION	NO.	DAT	Ξ	PAGE
		TECHNICAL									
SCBA, DC-FF SHIPBOARD FOR	LSD CLASS	DOCUMENT NUMBER									
			PLAN								
·					20 100000000000000000000000000000000000	<u>2-330</u>					
CHARACTERISTICS CYLINDERS AR	E AUTHORIZED AS A REPLACE	MENT		s s 			ON	OAR	D ALI	LOWAL	IÇE TABLE
	IS RECOMMENDED THAT THE R		MENT	NOTES REPORT RECOV	Q UII Y						
CYLINDERS MA	TCH THE EXISTING CYLINDER	S ONBO	ARD		10	COL. COL		COL.		SOL CO	
SHIP. THERE	IS NO DIFFERENCE IN PERFO	RMENCE	OF		0.1	'	-3	4	3	* 	*-
EACH TYPE OF	CYLINDER. THE VISIBLE DI	FFEREN	CE								
	R GLASS CYLINDER IS YELLO										
& CARBUN FIB	ER CYLINDER IS BLACK IN A R REDUCING STATION (BARS)	PPEARA	NCE.								İ
NOTE 3: BREATHING AL	: STOWAGE DETERMINED BY D	ćk									
COLUMNS 1 THRU 7 BLA	NK	CA.									
COLUMN 8 FOR LSD CLA	SS									1	
CAGE-12004											i
CCF DATE -12 02											1
7245040	ATD BOTE BUMB ACCV	7111140	10 01 465 1507								
7245940 TOTAL QTY, 30 MIN SCBA	AIR BSTR PUMP ASSY BREATHE APRS,30MIN	/HH43	10-01-465-1507	UPAODD 1	(AY					1	95
TOTAL QIT, 30 MIN SUBA	SEE NOTE 2	10200	00-LL-CQA-7350	UXB 00 0 1	EA SEL						95
804861-37	BREATHE APRS, 30MIN CARBN	97 42	40-01-486-1946	UPA CC O HE	EA SE L						
	SEE NOTE 2	72 12	70 01 400 1740	u nogo ii	LA VEN						
804861 - 25	BREATHE APRS, 30MIN FIBER	9Z 42	40-01-449-5351	UPA OO Z HE	EA SEL						
601.4701	SEE NOTE 2				100000					1	
6314781	BREATHING AIR RED STA AY	9Z 42	40-01-485-7705	UPA 00 0 1	ΑY		-				1
65 25 960	SEE NOTE 3 BREATHING-AIR TESTER	70066	55-01-473-8300	11D 4000 15	r.						
805004-01	CHARGING WAND ASSEMBLY		30-01-468-8025		EA EA						1 1
C-D/DV/NAVY	COMPRESSOR, BREATHING AIR				EA		1				3
7245961-2	COVER, ABPA		40-01-486-6141		ĒΑ					1	3
7245961-3	COVER.COMPRESSOR		10-01-468-8384		ĒΑ			,			3 3 2 3 3
7245961-1	COVER, HPFA	97 42	40-01-486-6121		EA						3
TOTAL QTY, CYLINDER 30 MI		1HS00	00-LL-CQA-7352	UPA OZ Z 1F UXB OZ Z 1 F	EA SEL						88
804721-01	SEE NOTE 2	07.40	40.01.400.400				İ				
004/21-01	CYLINDER,30MIN CARBON SEE NOTE 2	97 42	40-01-486-1939	UPA OZ Z HE	EA SE L						
804105-01	CYLINDER, 30MIN FIBER	97 42	40-01-376-6992	UPAOZZ HE	EA SE L						
	SEE NOTE 2	JL 7L	+0 VI 3/0 033Z	ALVART UE	LA JEU						
TOTAL QTY, CYLINDER 45 MI	CYLINDER,45MIN	1HS00	00-LL-CQA-7353	UXB OZ Z 18	EA SEL						183
	SEE NOTE 2				1800						100
804722-01	CYLINDER, 45MIN CARBON	1HS00	99-LL-H55-4954	UPA DO O H e	EA SEL				-		
804106-01	SEE NOTE 2	07.40	10 01 440 6416				1				
REFERENCE NO./DESCRIPTIVE DATA	CYLINDER, 45MIN FIBER	97 42	40-01-449-6416 stock no.	UPAOZZ HE	EA SEL		+-				ļ
THE PAIR OF THE PAIR	ITEM NAME		STOCK NO.	S A EU O	U/I C	1 2	3	4	5	6 7	8
				H J OF E							
	ALLOWANCE EQUI	PAGE L	.IST (AEL)	CON S		2-330	0024	113	06-	24-N	3 2
SHIP TYPE & HULL NO.			• •				1	7		<u>- · · · · · · · · · · · · · · · · · · ·</u>	~

ALLOWANCE EQUIPAGE LIST (AEL)

EQUIPAGE NOMENCLATURE/CHARACTERISTICS		MANUAL				IDEN	ITIFICA	ATION	NO	- DA			
							IDENTIFICATION NO.				TE	PAGE	
CCDA DO EE CHIDDOLOD EOD CAD ALLA	TECHNICA DOCUMEN	니											
SCBA, DC-FF SHIPBOARD FOR LSD CLASS	NUMBER					1							
		PLAN				1							
CHARACTERISTICS			·			2 - 3	300	241	13	06	-24	-03	3
-DANAGTERISTICS				ss i	9			ON E	BOAR	ID AL	LOW	ANCE	TABLE
				90 H F F O T O C C C C C C C C C C C C C C C C C									- INDEL
					T O Q E D T S Y U/I Y	COL.	COL.		COL.		COL.	COL.	COL.
SEE NOTE 2				LETVO	S Y U/I Y	1-1-	2	3	4	5	. 6	7	8
804871-31 FACEPIECE, SZ SM	9Z 4	240-01	449-3106	UPA OZ Z	1 E EA		'						20
804871-33 FACEPIECE, SZ X-LF	RG 974	240-01	449-3120	UPA OZ Z	1EEA					!	İ		20 10
7245941 FILTER ASSEMBLY, F	HP 7HH4	330-01	472-6835	UPA DD D	Î R AY	1		İ					3
7245944-1 HOSE AY/FILTER AT		720-01	477-1225	UPA OD D	1 R AY	1				i			3
	R,H101 7HH4	720-01-	477-1221	UPAODD	1 R AY	I					ļ		3
7245948-1 HOSE AY,FILT/AIR MODEL 1600 KING PELICAN CASE	SUPPLY 7HH4	720-01-	477-1223	UPA OD D	1 R AY								3
39400 WIRE RACK, COLLAPS	E 97 6	/60-01-	491-2762VJ		1REA						i		3 3 3
WINE MACK, CULLARS	SIDLE THMU	JAA-FF.	H52-9120	UPAOZZ	1EEA								2
	F	N D								İ			
	L	11 5		B 38 B	a late								
										1	İ		
				a in a					1				
								1		- 1			
				N 88 9					ļ		- 1	ļ	
							i i				i	i	
					Tall House		1 1	l		- 1			
							i l				ļ		
							i Í		l	ı	- 1	1	
							1	i					
									-				
							. 1						
							i	- 1	1				
							.						
· ·							ļ						
								ŀ					
								ļ					
								J		- 1			
									-				
											ı		
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME							[İ					
I) EM NAME	<u>.</u> .	STOC	NO.	MODECON MEDICON MENTANCE COORD	N G U/I Q	1	2	3	4	5	6	7	8
				RECOV SOURCE SOURCE	NOTES		-		T			T	
ALLOWANA	EFOUIDACE	ICT /A	EI \	C C N V C	s o								
i i ALLUWANC	L EUDIPAUP												
SHIP TYPE & HULL NO.	L EGUIPAGE	LIST (A)	Č	Y L	2-3	3300	1241	.⊥3	06-	24 -	03 J	3